Real-time DII COE Enables Real-time Technologies

http://www.dii-af.hanscom.af.mil/infrastructure/COE/rtipt/rtipt_hm.htm

John Maurer
TWG Chair
781-271-2985
johnm@mitre.org

Lt Col Lucie Robillard
IPT Chair
781-377-2679
robillardl@hanscom.af.mil

Outline

- **EAF C2 Architecture**
- **C2 Weapon System Spectrum**
- **Data Criticality - Real-time Needed?**
- **RT DII COE Accomplishments**

EAF C2 Architecture

En-Route C2

JFACC

Collaborative tools

Tanker/ Airlift Node

JCS

Space Node

Global Network

JAOC Rear

Intel Center

Special Ops

EOC

Distributed Ops JAOC-Rear (ROSC)



Distributed Ops JAOC-Fwd

Sensor-to-Decision Maker-to-Shooter

En-Route Msn Planning and Re-targeting

Sensor-to-Shooter

EAF Key Elements - People, Processes and Systems

C2 Weapon System Spectrum
Air Mission Example



C2 Weapon System Spectrum

Air Mission Example

Mission Execution: A-A, A-G, SEAD

Surveillance Area	Weapons Engagement Zone	Commit	Engagement
Detect ID			
Friend / Enemy			
Outside Weapon Parameters	Within Weapon Parameters		
T- Seconds	T- Seconds	T- Seconds	T - 0



What C2 Weapon Systems:
-Perform These Functions?
-Contribute Data for These Functio
Are Functions Performed in < 5 Minutes, With Accuracy, With Guarantee?

Key Factors: Accuracy of Time Stamp & Data ; NO Stale D

Is the Data You Are Providing Time Critical? Impacts of Delay: 20-30 Sec Data Latency

With perfect tracking (i.e., position/heading/speed reset to true each radar scan)
With perfect reporting and reception (i.e., updates received every 10 sec)



When Do You Know You *Need* Real-time (RT)?

- **Game of Deadlines**
  - **Rule of Thumb: RT = Milliseconds --> 5 Minutes**
  - **What # Deadlines Feed the 'Decision Process'?**
    - **C2 Data Flow (Human) & C2 System Processing (Automated)**
  - **Is Deadline Guarantee Important?**
    - **What # of Misses Can Be Tolerated?**
    - **What are the Consequences of One (or More) Misses?**
  - **What Timeframe for Next Update?**
- **Some Sources of Deadline Misses:**
  - **Method of On-Board Data Processing**
  - **Choice of Priority Scheduling Policy**
    - **FIFO, Fixed, Dynamic**

Design Considerations That Impact RT Data

Differences in FIFO, Fixed, and Dynamic Priority Scheduling

FIFO



Fixed



Dynamic



High Priority Tracks Got Dropped and have Bad TQ

Drop *Low Priority* Tracks to Get Better TQ on *High Priority* Tracks

No *High Priority* Tracks Dropped. Overall Better TQ







Key:
Track Quality: 0-7 (7 = Ideal
Association Capacity = # Tr
Processed under Constraint

FIFO: TBMCS **FIXED: AWACS, JSTARS, R/SAOC, CM**

Demonstration Display

Screen Explanation

Less Important Tracks

More Important Tracks



W Tracks Updated

G #Current Tracks NOT Updated

Y #Aging Tracks NOT Updated

R #Stale Tracks NOT Updated

Quality of Track Estimate (Perfect Track = 7)

Confidence in All Tracks NOT Updated

First-In / First-Out Scheduling



Typical Display and Results:

FIFO Scheduling





High Priority **Tracks Got Dropped--Increased Operator Work**

Fixed Priority Scheduling



Typical Display and Results:

Fixed Priority Scheduling





High Priority **Tracks Got Processed--BUT Decreased Situation**

Dynamic Priority Scheduling



Results:
Dynamic Priority Scheduling





No Tracks Got Dropped -- Operator Workload O

Which Scheduling Choice Today?

- Hurdles to Dynamic Priority Approach
  - Research Project! Engineering Theory Since 1973
- Fixed Priority Approach Can Be Better for Real-time
  - Detailed Analysis Required -- Its Tough!
    - Ad Hoc Approach Typical: "Always Done That Way"
  - Real-time Scheduling Disciplines Required
    - Understand Timing Behavior of Applications
    - Preserve Correct & Consistent Data
- FIFO is DII COE Approach
  - Not Good Enough for Most C2 Systems

Make Fixed Priority Scheduling a DII COE Optio

Relevance to RT DII COE Activities

- **Demo Showed Improvement in Mission Performance Using Real-time Technologies**
  - **Theoretical Basis for Improving on "The Way We've Always Done It"**
- **RT DII COE Provides the Real-time Foundation To Implement Real-time Technologies**
  - **RTOS and RT Infrastructure Supports:**
    - **Predictable Timelines, Priority, and RT Scheduling**
  - **Configurable RT Kernel**
    - **Make Dissemination of Future RT DII COE Segments Easier**

RT DII COE is the <u>Enabler</u> for RT Approaches

RT DII COE Accomplishments

Technology That Enables Dynamic Scheduling



RT Common Object Request Broker (RT CORBA) for Distributed Computing

- Lockheed Martin's HARDPack as candidate initial product
  - HARDPack 1.3 or later
    - RT extensions
    - IIOP interface to nonRT orbs
    - Available for LynxOS, Solaris

Configurable DII COE RT Kernel

- POSIX APIs for Real-time OS
  - LynxOS in reference implementation
- RT appropriate capabilities
- Selectable Kernel Services
  - Not monolithic kernel
- Configuration from RTOS up
- RT "Stickers" for mixing, matching applications to OS,

Will be in DISA Release 5.0, October 2000

RT DII COE Accomplishments
Configurable RT DII COE Kernel



*Actual OS configuration depends on packaging options provided by RTOS vendor

RT Systems Are NOT One Size Fits All

RT DII COE Accomplishments
RT Kernel Configuration

- **Integrator specifies list of segments (required capabilities)**
- **Each segment requires:**
  - **Other segments**
  - **RT Kernel Services**
  - **POSIX.13 API's**
- **Each RT Kernel Service requires:**
  - **Other RT Kernel Services**
  - **POSIX.13 API's**



The Process to Build RT C2 System Using RT DII C

What do C2 System SPOs Do Now?

- **SPD Challenge**
  - **Determine Need for RT Techniques**
    - **Priority, Preemption, Predictability**
  - **If YES,**
    - **Identify Common Functions Among Your C2 Node Partners in Accomplishing Your Mission**
    - **Provide C2 Requirements to RT TWG**
    - **Advocate Common Capabilities Into DII COE via RT IPT**

RT DII COE: Path to C2 Interoperability

Conclusion

- C2 Spectrum Being Defined
- RT Characteristics to Be Aware: Priority, Preemption, Predictability, Determinism
- Make DII COE Support Fixed Priority Scheduling
- SPD Challenges: RT and Common Functions
- RT DII COE Effort Is Making Progress
  - Become Part of the Team!

RT DII COE a Reality: Oct 2000
RTOS, Selectable RT Kernel Services, RT CORBA